

free pattern

# DIG TIME



- BY BENARTEX STUDIO
- FINISHED SIZE: 56-1/2" X 70"
- PATTERN AVAILABLE IN AUG/SEPT 2021 AT BENARTEX.COM

CONSTRUCTION  
**CREW**  
by: Kanvas Studio  
GLOW IN THE DARK

## CUTTING INSTRUCTIONS


*WOF = Width of fabric | LOF = Length of fabric | \*Sew strips via short ends, then subcut as indicated in pattern*

	<b>BRICK BY BRICK</b> A 9990GL-11 <i>Gray</i>	1-7/8 YD	(2) 4-1/2" X LOF strips, then cut (4) 4-1/2" strips * from remaining WOF		<b>TOOL TIME</b> G 9995GL-55 <i>Navy</i>	FQ	(2) 10" squares
	<b>CONSTRUCTION LINGO</b> B 9992GL-12 <i>Black</i>	FQ	(2) 10" squares		<b>TOOLS &amp; HARDWARE</b> H 9996GL-09 <i>White</i>	5/8 YD	(6) 2-1/2" X WOF strips *, <b>BORDER</b>
	<b>GRAB YOUR TOOLS</b> C 9993GL-05 <i>Light Blue</i>	FQ	(2) 10" squares		<b>TOOLS &amp; HARDWARE</b> J 9996GL-12 <i>Black</i>	1/2 YD	(1) 14" X WOF strip, subcut (8) 2-1/2" X 14" strips and (8) 2-1/2" X 10" strips
	<b>GRAB YOUR TOOLS</b> D 9993GL-12 <i>Black</i>	FQ	(2) 10" squares		<b>TOOLS &amp; HARDWARE</b> K 9996GL-40 <i>Lime</i>	1 YD	(1) 14" X WOF strip, subcut (8) 2-1/2" X 14" strips and (8) 2-1/2" X 10" strips (7) 2-1/4" X WOF strips *, <b>BINDING</b>
	<b>CONSTRUCTION CREW TRUCKS</b> E 9994GL-05 <i>Light Blue</i>	1/2 YD	(6) 2-1/2" X WOF strips *, <b>BORDER</b>		<b>TOOLS &amp; HARDWARE</b> L 9996GL-50 <i>Blue</i>	1/2 YD	(1) 14" X WOF strip, subcut (8) 2-1/2" X 14" strips and (8) 2-1/2" X 10" strips
	<b>TOOL TIME</b> F 9995GL-09 <i>White</i>	FQ	(2) 10" squares		<b>CAUTION TAPE</b> M 9997GL-50 <i>Blue</i>	FQ	(2) 10" squares

**BLOCK ASSEMBLY:** *Refer to BLOCK DIAGRAMS*


- Sew (1) J 2-1/2" X 10" strip to each side of (1) M 10" square, then sew (1) J 2-1/2" X 14" strip to top and bottom to create **BLOCK 1**. Square to 14", make (1).
- Following chart below, repeat Step 1 to create remaining blocks. Square all to 14", make number indicated.

**BLOCK DIAGRAMS**



**BLOCK 1**  
(make 1)

	BLOCK 2	BLOCK 3	BLOCK 4	BLOCK 5	BLOCK 6	BLOCK 7	BLOCK 8	BLOCK 9	BLOCK 10
Center	D	G	C	F	B	F	C	G	M
Borders	K	L	L	J	K	L	J	J	L



**QUILT ASSEMBLY:** Refer to **QUILT DIAGRAM** for proper block placement and rotation.

3. Sew blocks into rows, then sew rows together.

**BORDER ASSEMBLY:** Measure width and length of quilt top to ensure border cutting sizes. Below are our measurements

4. Sew (1) H 2-1/2" X (54-1/2") strip to each side of quilt, then sew (1) H 2-1/2" X (45") strip to top and bottom.

5. Sew (1) E 2-1/2" X (58-1/2") strip to each side of quilt, then sew (1) E 2-1/2" X (49") strip to top and bottom.

6. Sew (1) A 4-1/2" X (62-1/2") LOF strip to each side of quilt, then sew (1) A 4-1/2" X (57") WOF strip to top and bottom of quilt.

**DIG TIME  
QUILT DIAGRAM  
SIZE: 56-1/2" x 70"**



**FINISHING:**

Cut batting and backing 3" larger than top on all sides. Layer backing, batting and top together and baste or pin. When quilting is completed, trim excess batting and backing. Bind with K fabric.

Note: If this Benartex pattern is included in a kit, any questions about the kit should be addressed to the vendor from whom you bought it.

Share your finished quilt with the Benartex community on social media by tagging **#benartex\_fabrics**



Also visit our Sewing Group on Facebook, **Sew Interesting**