

CUTTING INSTRUCTIONS

WOF = Width of fabric | HST = Half Square Triangle | *Sew strips via short ends, then subcut as indicated in pattern

Α	PRISM 1613-30 Golden	3/8 YD	(3) 4" X WOF strips, subcut (24) 4" squares		G	COLOR IMPRESSIONS 1614-99 Multi	3/8 YD	(3) 4" X WOF strips, subcut (24) 4" squares
В	PRISM 1613-45 <i>Moss</i>	3/8 YD	(3) 4" X WOF strips, subcut (24) 4" squares		Н	BRUSHSTROKES 1615-33 <i>Yellow</i>	3/8 YD	(3) 4" X WOF strips, subcut (24) 4" squares
С	COLOR IMPRESSIONS	3/8 YD	(3) 4" X WOF strips, subcut (24) 4" squares		J	BRUSHSTROKES 1615-44 <i>Green</i>	3/8 YD	(3) 4" X WOF strips, subcut (24) 4" squares
	1614-26 Fuchsia		(4) 4" X WOF strips, subcut		к	BRUSHSTROKES 1615-66 <i>Purple</i>	3/8 YD	(3) 4" X WOF strips, subcut (24) 4" squares
D	1614-34 Sunset	1/2 YD	(32) 4" squares		L	BRUSHSTROKES 1615-99 <i>Multi</i>	3/8 YD	(3) 4" X WOF strips, subcut (24) 4" squares
E	COLOR IMPRESSIONS 1614-44 Green	1/3 YD	(2) 4" X WOF strips, subcut (16) 4" squares			SUPERIOR		(4) 1-1/2" x WOF strips, subcut (12) 1-1/2" X 12-1/2" strips
F	COLOR IMPRESSIONS 1614-84 Peacock/Multi	1/3 YD	(2) 4" X WOF strips, subcut (16) 4" squares		М	SOLIDS 3000B-12 Black	1-1/8 YD	(10) 1-1/2" x WOF strips *, SASHING & BORDER (6) 2-1/4" X WOF strips *, BINDING


BLOCK ASSEMBLY: *Refer to BLOCK DIAGRAMS*


- 1. Draw diagonal line on the wrong side of **A, B, D, E, G, J** and **L** 4" squares.
- 2. Place(1) **B** 4" square right sides together with (1) **D** 4" square. Sew 1/4" on either side of diagonal line, then cut on drawn line. Press open and square to 3-1/2". Make (16).
- 3. Repeat Step 2 to create all **HST UNITS**, square all to 3-1/2", make number indicated.
- Sew the indicated HST UNITS together into rows, pressing seam allowances in the direction of arrows. Sew rows together to create BLOCK 1. Square to 12-1/2", make (8).
- 5. Sew the indicated **HST UNITS** together into rows, pressing seam allowances in the direction of arrows. Sew rows together to create **BLOCK 2**. Square to 12-1/2", make (8).

NOTE: For Steps 4 & 5 - be sure to refer to **IMAGES BELOW** for proper rotation of **HST UNITS**.


2. B BD HST UNIT make (16) 3. BH (32) DH (16) CE (16) CL (32) EL (16) DG (16) DK (16) GK (32) AF (16) AJ (32) FJ (16)


BLOCK DIAGRAMS





BLOCK 1





BLOCK 2

QUILT ASSEMBLY: Refer to QUILT DIAGRAM for proper block placement and rotation.

Sew blocks and M 1-1/2" X 12-1/2" strips together into rows, then sew rows and (3) M 1-1/2" X 51-1/2" sashing strips together.

ROWS 1 & 3: BLOCK 1 - M STRIP - BLOCK 2 - M STRIP - BLOCK 1 - M STRIP - BLOCK 2 ROWS 2 & 4: BLOCK 2 - M STRIP - BLOCK 1 - M STRIP - BLOCK 2 - M STRIP - BLOCK 1

BORDER ASSEMBLY: Measure width and length of quilt top to ensure border cutting sizes. Below are our measurements

Sew (1) M 1-1/2" X (51-1/2") strip to each side of quilt, then sew (1) M 1-1/2" X (53-1/2") strip to top and bottom of quilt.

STAR IMPRESSIONS QUILT DIAGRAM SIZE: 53" x 53"

M 1-1/2" x 51-1/2

FINISHING:

Cut batting and backing 3" larger than top on all sides. Layer backing, batting and top together and baste or pin. When quilting is completed, trim excess batting and backing. Bind with M fabric.

Note: If this Benartex pattern is included in a kit, any questions about the kit should be addressed to the vendor from whom you bought it.

> Share your finished quilt with the Benartex community on social media by tagging #benartex_fabrics











Also visit our Sewing Group on Facebook, Sew Interesting